

Air Cleaner / Negative Pressure Unit (NPU)

07.08.2025

Air Cleaner / Negative Pressure Unit (NPU) can be used to clean contaminated air at the work space or in entire rooms. This prevents dust emissions from spreading to other workspaces and reduces the dust concentration at the work place.

The devices or device sets in the list are supplied by the manufacturers with equipment suitable for construction sites and have an intake/exhaust air hose to ventilate effectively the workspace or to capture dust as close as possible to the emission source. The Air Cleaner/NPU and the hose should be located in such a manner that the dust emission occurs between intake side of the hose and the exhaust opening of the Air Cleaner/NPU.

The Air Cleaner / NPU on the positive list meet the following requirements (as specified by the manufacturer):

- (1) Air Cleaners / Negative Pressure Units must be equipped with at least a two-stage filter system.
- (2) The main filter must either consist of filter materials that comply with dust class M or dust class H (in accordance with DIN EN 60335-2-69).
- (3) Filters must be installed in the appliance housing to avoid damage. The pre-filter and main filter must be located on the suction side of the fan.
- (4) The main filter and any downstream filters must be installed in the housing without leaks. The filter material of the main filter must also have sufficient strength to withstand the pressure load generated by the fan.
- (5) Air Cleaners / NPU must be equipped with a device that indicates when the flow rate falls below the minimum flow rate, e.g. as a result of the filter being clogged with dust.
- (6) The maximum recommended room size in m² must be indicated on the device. The room size is calculated on basis of the minimum air flow volume (when the "filter clogged" indicator applies) and a room height of 3 m for a calculated 15-fold air change per hour.
- (7) The device must have an inscription stating "Air Cleaner / NPU with M filter" or "Air Cleaner / NPU with H filter".
- (8) It should be possible to remove dust-laden filters from air purifiers in a dust-sensitive manner; i.e. neither the operator nor the room or the room should be contaminated. In the case that this is not sufficiently possible, instructions have to be made in the instruction manual.
- (9) Electrical components must comply with at least degree of protection IP44 or must be installed in a container which meets IP44. The degree of protection must be independent of the filter equipment (even if the filter elements have been removed).

(10) Power lines with a length of up to 4 m must be of at least H05RN-F quality or equivalent, and H07RN-F quality or equivalent for lengths of more than 4 m.

(11) Air cleaners / negative pressure must be equipped with an intake or exhaust air hose of at least 6 m in length. Air purifiers weighing more than 15 kg must be equipped with an intake hose.

(12) Intake hoses that can be compressed in length (e.g. for transportation) to less than half the extended length must have a maximum spiral distance of 0.4 x hose diameter.

Air Cleaners / NPU for which the manufacturer submits a corresponding declaration (manufacturer's declaration or test certificate in accordance with DGUV G 309-012) can be included in this list.

In addition to the solutions listed below, there may be other similar solutions. This list does not provide a complete overview of all products available on the market and is updated on an ongoing basis. In particular, inclusion in this list is not intended as a marketing tool for manufacturers of listed products.

The maximum recommended room size is based on the manufacturer's specifications (without guarantee), determined at a room height of 3 m and an air exchange rate of 15 times per hour.

Link to the **binding Test standard** (German Version) **DGUV G 309-012:**
[Prüfgrundsatz für die staubtechnische Prüfung von Luftreinigern | BG BAU - Berufsgenossenschaft der Bauwirtschaft](#)

Brøndum

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Ronda NPU 600	80.29.0019	M	10
Air hose D.125 - 6,00 m	84.54.1250		

blizz-z Handwerk Direkt GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Type 1.800	149855	H	17
Exhaust air adapter for Building site air cleaner type 1.800	149859		
Air hose for Building site air cleaner type 1.800, DN 254, 6 m	149858		

D – Tack GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Type 1.800	990080	H	17
Exhaust air adapter for Building site air cleaner type 1.800	990081		
Air hose for Building site air cleaner type 1.800, DN 254, 6 m	990084		

Deconta

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
green dec G 50 SE	648d	H	16
Inlet flange NW 150	BO13949		
Inlet flange NW 150	BO13928		
negative pressure and exhaust air hose NW 150	AU735		

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
green dec G 100 SE Inlet flange NW 150 Inlet flange NW 150 negative pressure and exhaust air hose NW 150	617d BO13949 BO13928 AU735	H	26
green dec G 100 SRE connect Inlet flange NW 150 Inlet flange NW 150 negative pressure and exhaust air hose NW 150	698d BO13949 BO13928 AU735	H	26
green dec G 200 SE Inlet flange NW 300 negative pressure and exhaust air hose NW 300	638d BO14010 AU736	H	47
green dec G 200 SRE connect Inlet flange NW 300 negative pressure and exhaust air hose NW 300	700d BO14010 AU736	H	47
green dec G 300 SE Inlet flange NW 450 negative pressure hose NW 450 exhaust air hose NW 450	641d BO14695 AU1061 AU737	H	76
green dec G 300 SRE connect Inlet flange NW 450 negative pressure hose NW 450 exhaust air hose NW 450	702d BO14695 AU1061 AU737	H	76

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
green dec G 400 SE Inlet flange NW 450 negative pressure hose NW 450 exhaust air hose NW 450	748d BO20486 AU1061 AU737	H	122
green dec G 400 SRE connect Inlet flange NW 450 negative pressure hose NW 450 exhaust air hose NW 450	749d BO20486 AU1061 AU737	H	122
smart dec S 50 SE Air outlet Flange NW 150 negative pressure and exhaust air hose NW 150	752d BO19047 AU735	H	15
smart dec S 55 SE negative pressure and exhaust air hose NW 150	770d AU735	H	15
smart dec S 200 SE negative pressure and exhaust air hose NW 300	753d AU736	H	33
smart dec S 200 SRE connect negative pressure and exhaust air hose NW 300	754d AU736	H	33
smart dec S 300 SE negative pressure hose NW 450 exhaust air hose NW 450	755d AU1061 AU737	H	61
smart dec S 300 SRE connect negative pressure hose NW 450 exhaust air hose NW 450	756d AU1061 AU737	H	61

Dustcontrol

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DC AirCube 500 Hose 125 mm (6 m)	112500 2420	H	7
DC AirCube 1200 incl. funnel 250 mm Hose 250 mm (10 m)	103100 F40023	H	22
DC AirCube 2000 incl. funnel 315 mm Hose 315 mm (10 m)	103000 F40019	H	27

Festool

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
SYS-AIR M Air supply hose LS-SYS-AIR D200x6m	577784 577964	M	10
SYS-AIR H Air supply hose LS-SYS-AIR D200x6m	577789 577964	H	5

Flex

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Flex VAC 800 EC Incl. exhaust air hose 125 mm, Front grille, Pre-filter-fabric G3 (10 pieces) coarse dust filter G4, main filter	477.745	M	9

Fliesen Zentrum - Ceraworx

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Room dust extraction negative pressure / exhaust air hose (6 m)	CW000054 CW000055	M	20

Heylo

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
FT 500 (without filter)	1110909	M	10
Hose 7,6m, 305 mm	1 250 005		
Main filter dustclass M	1 110 913		
Pre-filter G4 (5 pc.)	1 110 925		
FT 500 total package / set Dustclass M	2003895	M	10
FT 500 (without filter)	1 110 909	H	10
Hose 7,6m, 305 mm	1 250 005		
Main filter dustclass H	1 110 911		
Pre-filter G4 (5 pc.)	1 110 925		

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
FT 500 total package / set Dustclass H	2002489	H	10
Powerfilter PF 1000 Hose 7,6m, 205 mm pre-filter cassette with connection pre-filter Main filter dustclass M	1110898 1 250 007 1 200 081 1 110 881 1 110 882	M	10
Powerfilter PF 1000 Hose 7,6m, 205 mm pre-filter cassette with connection pre-filter Main filter dustclass H	1110898 1 250 007 1 200 081 1 110 881 1 110 883	H	10
Powerfilter PF 1000 Hose 7,6m, 205 mm pre-filter Main filter dustclass H	1110897 1 250 007 1 110 881 1 110 883	H	8
Powerfilter PF 1000 total package / set Dustclass H	2002494	H	8
Powerfilter PF 1000 Hose 7,6m, 205 mm pre-filter Main filter dustclass M	1110897 1 250 007 1 110 881 1 110 882	M	8
Powerfilter PF 1000 total package / set Dustclass M	2002493	M	8

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Powerfilter PF 1400 Hose 7,6m, 205 mm pre-filter cassette with connection pre-filter Main filter dustclass M	1110899 1 250 007 1 200 076 1 110 925 1 110 853	M	13
Powerfilter PF 1400 total package / set Dustclass M	2002490	M	13
Powerfilter PF 1400 Hose 7,6m, 205 mm pre-filter cassette with connection pre-filter Main filter dustclass H	1110899 1 250 007 1 200 076 1 110 925 1 110 854	H	13
Powerfilter PF 1400 total package / set Dustclass H	2002491	H	13
DustStop Plus Connection adapter Hose 7,6m, 305 mm	1 110 870 1 200 049 1 250 005	M	19
DustStop Plus total package / set	2002492	M	19
Powerfilter 3500 pre-filter cassette with connection Hose 7,6m, 305 mm pre-filter Main filter dustclass M 2 dust protection plates	1110890 1 200 075 1 250 005 1 110 834 1 110 922 1 200 071	M	37
Powerfilter 3500 total package / set Dustclass M	2003901	M	37

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Powerfilter 3500 pre-filter cassette with connection Hose 7,6m, 305 mm pre-filter Main filter dustclass H 2 dust protection plates	1110890 1 200 075 1 250 005 1 110 834 1 110 920 1 200 071	H	37
Powerfilter 3500 total package / set Dustclass H	2003898	H	37
Powerfilter 3500 3 times hose connection socket Hose 7,6m, 205 mm Main filter dustclass H	1110890 1 200 072 (3 times) 1 250 007 (3 times) 1 110 920	H	40
Powerfilter 3500 total package / set Dustclass H (3 times hoses)	2003899	H	40
Powerfilter 3500 3 times hose connection socket Hose 7,6m, 205 mm Main filter dustclass M	1110890 1 200 072 (3 times) 1 250 007 (3 times) 1 110 922	M	40
Powerfilter 3500 total package / set Dustclass M (3 times hoses)	200900	M	40

Hilti

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
AIC 1000 Hose AIC 250mmx6m BG Bau inlet Hose AIC 200mmx6m BG Bau outlet Power cable C19 F	2296184 2371144 2371143 2297557	M	13
AIC 1000 Set	2432572	M	13
AIC 2000 Hose AIC 250mmx6m BG Bau inlet Hose AIC 200mmx6m BG Bau outlet Power cable C19 F	2296185 2371144 2371143 2297557	M	28
AIC 2000 Set	2430066	M	28

Husqvarna

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
A1000 Adapter A1000 Inlet Hose A1000 (D = 200mm / 6m)	967 67 23-02 590437901 592062801	H	17
A2000 Inlet Adapter A2000 Inlet Hose A2000 (D = 310 mm / 6m)	967 67 22-02 590437801 592126301	H	31

König

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Mini Turbo (inkl. filter Dustclass M) Suction hose 6 m, 200 mm	L20.637 L20.598.015	M	20
Turbo Maxi (inkl. filter Dustclass M) Suction hose 6 m, 200 mm	L20.640 L20. L20.598.015	M	40

Maxxxcomfort

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Dust extraction-box Exhaust-air-hose set	H62000 H62010	M	9

MAXVAC

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DB 650 Air cleaner (Set incl. exhaust-air-hose L 6 m x D 150 mm)	DB650-BGB-KIT	M	8

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DB 650 Air cleaner (Set incl. exhaust-air-hose L 6 m x D 150 mm and replacement filter set)	DB650-BGB-F-KIT	M	8

MKI Industrieservice GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
AM-AIR/800H MKI REDLINE Adapter plate 3-times, aluminium 3x DN 100 mm clamping profile hose CLIP PE, DN 100, 5 m	141006 142001 145001 (3 times)	H	13
AM-AIR/2000H MKI REDLINE Adapter plate 4-times, aluminium 4x DN 100 mm clamping profile hose CLIP PE, DN 100, 5 m	141002 142003 145001 (4 times)	H	32
AM-AIR/4000H MKI REDLINE Coupling plate funnel, aluminium DN 310 mm Exhaust air hose DN 310, 10 m clamping profile hose CLIP PE, DN 310, 5 m	141003 142021 145024 145010	H	63

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
AM-AIR/5000H MKI REDLINE Coupling plate funnel, aluminium DN 450 mm Exhaust air hose DN 450, 10 m clamping profile hose CLIP PE, DN 450, 5 m	141004 142021 145024 145010	H	78
AM-AIR/1000H MKI REDLINE Coupling plate funnel, aluminium DN 450 mm Exhaust air hose DN 550, 10 m clamping profile hose CLIP PE, DN 550, 5 m	141007 142021 145024 145010	H	156

möcklinghoff Lufttechnik

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DustBox 1000 Filter Dustclass H resp. H14 Suction adapter Suction- / exhaust air hose 1 set (10 pc.) pre-filter	DB 1000 TR 1000 SH 1000 G4 1000	H	12
DustBox 1000 Suction adapter Suction- / exhaust air hose 1 set (10 pc.) pre-filter Nozzle plate	DB 1000 TR 1000 SH 1000 G4 1000 DP 1000	H	12

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DustBox 2000 Tested in accordance with DGUV-G-309-012 Suction adapter Suction- / exhaust air hose 1 set (10 pc.) pre-filter	DB 2000 TR 2000 SH 2000 G4 2000	H	24
DustBox 2000 Tested in accordance with DGUV-G-309-012 Suction adapter Suction- / exhaust air hose 1 set (10 pc.) pre-filter Nozzle plate	DB 2000 TR 2000 SH 2000 G4 2000 DP 2000	H	24
DustBox DB 6000 Single suction plate 2 set (10 pc.) pre-filter Replacement filter cell M5 Suction- / exhaust air hose DN 450 Nozzle plate	DB 6000 AP 6000-1 G4 6000 M5 6000 SH 6000 DP 6000	H	100
DustBox DB 6000 triple suction plate 2 set (10 pc.) pre-filter Replacement filter cell M5 3 times suction- / exhaust air hose DN 250 3 times nozzle plate	DB 6000 AP 6000-3 G4 6000 M5 6000 SH 2000 DP 2000	H	100

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DustBox DB 6000 4-fold suction plate 2 set (10 pc.) pre-filter Replacement filter cell M5 4 times suction- / exhaust air hose DN 200 4 times nozzle plate	DB 6000 AP 6000-4 G4 6000 M5 6000 SH 1000 (4x) DP 1000 (4x)	H	100

Kroll Energy GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
LR5300 LR5300 suction box D305 combi warm air hose D305 prefilter G4 main filter E10/dustclass M	064460 064474 005417-01 064504 064503	M	34

protekMA GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
protekAir profi air cleaner PA 1400 suction funnel PA 1400 exhaust air hose PA 1400	1005-510 1005-515 1005-514	M	22
protekAir profi air cleaner PA 1400 Filter dustclass M PA 1400 suction funnel PA 1400 exhaust air hose PA 1400	1005-510 1005-512 1005-515 1005-514	M	22
protekAIR profi air cleaner PA 950 exhaust air- / suction hose PA 950	1002-210 1002-214	M	13
protekAIR profi air cleaner PA 950 suction funnel PA 950 exhaust air- / suction hose PA 950	1002-210 1002-215 1002-214	M	13
protekAir profi air cleaner PA 950 Filter dustclass M PA 950 suction funnel PA 950 exhaust air- / suction hose PA 950	1002-210 1002-212 1002-215 1002-214	M	13
protekAir profi air cleaner PA 650 exhaust air- / suction hose PA 650	1001-210 1001-214	M	7
protekAir profi air cleaner PA 650 Hepa Filter dustclass H PA 650 exhaust air- / suction hose PA 650	1001-210 1001-213 1001-214	H	7

Pullman-Ermator AB

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
A600U Hose A100, A700, A600 (D = 160 mm /6m)	200600567D 10045	H	7
A1000 Inlet Adapter A1000 Inlet Hose A1000 (D= 200 mm /6m)	200900112 201000438 201300343	H	17
A2000 Inlet Adapter A2000 Inlet Hose A2000 (D= 318 mm /6m)	200900225 201000437 201500272	H	31

Rhemus GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
RL 1000 Hose 7,6m 205 mm Pre-filter, 5 pieces Main-filter dustclass M	HB0037 HB0057 HB0055 HB0053	M	7
RL 1000 Hose 7,6m 205 mm Pre-filter, 5 pieces Main-filter dustclass H	HB0037 HB0057 HB0055 HB0052	H	7

Roll GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Air cleaner 1800 spiral hose d=254mm	19.15235 79.00210	M	24

Seelbach

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Aria 1801 (incl. filter dustclass M) Adapter air supply hose Hose 250 mm x 6 m Hose clamp	31.05.264 31.05.756 31.05.757 31.05.758	M	16
Aria 2500 Adapter air supply hose hose 250 mm x 6 m	31.05.265 31.05.780 31.05.781	H	33

SES GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DEH 750 SpiralFlex PVC, DN 175, 6 m	2482612 2284436	H	8
DEH 2000 SpiralFlex PVC, DN 325, 6 m	2482615 2284438	H	20

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
DEH 5000 SpiralFlex PVC, DN 425, 6 m	2482613 2284439	H	28
NPU 10000 SpiralFlex PVC, DN 560, 6 m	2482621 2284440	H	108
SES 1500 SpiralFlex PVC, DN 254, 6 m	2482624 2284443	H	17
SES 1800 BT Adapter exhaust air SES1500 SpiralFlex PVC, DN 254, 6m	2482625 2482632 2284443	H	17

Staegi GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
AC 1801 (incl. Filter dustclass M) Adapter Hose 250x6	AC1801 ZA 16 ZA 17	M	16
AC 1801 Filter dustclass H Adapter Hose 250x6	AC1801 MA002-2 ZA 16 ZA 17	H	13
AC 2500 Suction hose adapter Suction hose 6 m	AC 2500 ZA017 ZA016	M	33

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
AC 1502 Hose 250 x 6 m	AC 1502 ZA 017	M	24

Trotec GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
TAC 1500 S Tension belt SP-Serie Suction hose Tronect SP-T 203 TAC-F1500 Z-linefilter G4 TAC-F1500 fine filter F7 TAC-F1500 Dustclass H	1.580.000.104 6.100.001.995 6.100.001.200 7.160.000.404 7.160.000.409 7.160.000.424	H	12
TAC 1500 Tension belt SP-Serie Suction hose Tronect SP-T 203 TAC-F1500 Z-linefilter G4 TAC-F1500 fine filter F7 TAC-F1500 Dustclass H	1.580.000.105 6.100.001.995 6.100.001.200 7.160.000.404 7.160.000.409 7.160.000.424	H	12
TAC 3000 Tension belt SP-Serie Suction hose Tronect SP-T 305 TAC-F3000 Z-linefilter G4 TAC-F3000 fine filter F7 TAC-F3000 Dustclass H	1.580.000.115 6.100.001.995 6.100.001.200 7.160.000.428 7.160.000.429 7.160.000.431	H	23

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
TAC 3500	1.580.000.117	H	23
Tension belt SP-Serie	6.100.001.995		
Suction hose Tronect SP-C 305	6.100.001.265		
TAC-F3000 Z-linefilter G4	7.160.000.428		
TAC-F3000 fine filter F7	7.160.000.429		
TAC-F3000 Dustclass H	7.160.000.431		
TAC 5000	1.580.000.125	H	68
Tension belt SP-Serie	6.100.001.995		
Suction hose Tronect SP-T 425	6.100.001.212		
TAC-F5000 Z-linefilter G4	7.160.000.448		
TAC-F5000 fine filter F7	7.160.000.449		
TAC-F5000 Dustclass H	7.160.000.451		
TAC 6500	1.580.000.135	H	80
Tension belt SP-Serie	6.100.001.995		
Suction hose Tronect SP-T 457	6.100.001.214		
TAC-F6500 Z-linefilter G4	7.160.000.475		
TAC-F6500 fine filter F7	7.160.000.476		
TAC-F6500 Dustclass H	7.160.000.478		

Hans Wilms GmbH

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
LR 1400	8051400	M	13
Pre-filter dustclass G4 (5 times)	8000535		
Main-filter dustclass M (F9)	8000539		
Adapter hose, suction side	8000537		
hose 6 m Länge, D=203 mm	8000538		

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
LR 1400 Accessory set M complete	8051400 8000541	M	13
LR 1400 Pre-filter dustclass G4 (5 times) Main-filter dustclass H (H14) Adapter hose, suction side hose 6 m Länge, D=203 mm	8051400 8000535 8000536 8000537 8000538	H	13
LR 1400 Accessory set H complete	8051400 8000540	H	13

Wolff

Article/Item	Article/Item-No	Notice/ Dustclass	Recommended for a room size up to (m ²)
Wolff air cleaner LR 690 (incl. exhaust air hose)	10057	H	10

The maximum recommended room size is based on the manufacturer's specifications (without guarantee), determined at a room height of 3 m and an air exchange rate of 15 times per hour

Your contact person

If you have questions about the Air Cleaners/NPUs listed above, please contact:

M. Eng., Dipl.-Ing. (FH) Holger Thoms
BG BAU - Berufsgenossenschaft der Bauwirtschaft
Hauptabteilung Prävention, Abt. Stoffliche Gefährdungen
Referat Gefahrstoffe-Biostoffe
Viktoriastraße 21
42115 Wuppertal
E-Mail: holger.thoms@bgbau.de

If you have questions about the testing procedure of Air Cleaners/NPUs according DGUV G 309-012, please contact:

Dipl.-Ing. Walter Gunreben
BG BAU - Berufsgenossenschaft der Bauwirtschaft
Hauptabteilung Prävention, Abt. Stoffliche Gefährdungen
Referat Gefahrstoffe-Biostoffe
Holländische Straße 143
34127 Kassel
E-Mail: Walter.Gunreben@bgbau.de

Link to the binding Test standard DGUV G 309-012:

[Prüfgrundsatz für die staubtechnische Prüfung von Luftreinigern | BG BAU - Berufsgenossenschaft der Bauwirtschaft](#)